


# Produktdatablad

Specifikationer



## Frontplåt normprodukter, Prisma, 4 moduler, bredd 600 mm

03204

! Utgått den: 16 maj 2023

! Service avslutas den: 31 dec. 2023

! Utgången

EAN-kod: 3303430032045

### Produktdata

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Produktfamilj                  | Prisma                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Produktområde                  | Prisma G<br>Prisma P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Typ Av Produkt Eller Komponent | Frontplåt                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Tillbehör / Separat Kategori   | Installationstillbehör                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Serie Kompatibilitet           | Prisma Prisma G kapsling<br>Prisma Prisma P cubicle<br>Prisma Prisma Pack 250 kapsling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Typ Av Frontplåt               | Hålbild<br>Normprodukter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Installerad Enhet              | Modulär enhet Acti 9: fast<br>Modulär enhet Multi 9: fast<br>IM20 Vigilohm:<br>IM20H Vigilohm:<br>INS100 Compact: fast - kontroll: Direktmonterat frontmonterat vridhandtag - vertikal installation<br>INS125 Compact: fast - kontroll: Direktmonterat frontmonterat vridhandtag - vertikal installation<br>INS160 Compact: fast - kontroll: Direktmonterat frontmonterat vridhandtag - vertikal installation<br>INS40 Compact: fast - kontroll: Direktmonterat frontmonterat vridhandtag - vertikal installation<br>INS63 Compact: fast - kontroll: Direktmonterat frontmonterat vridhandtag - vertikal installation<br>IM10 Vigilohm:<br>IM10H Vigilohm: |
| Poltal                         | 3P 1 x vertikal installation: Dinskena support: INS100<br>4P 1 x vertikal installation: Dinskena support: INS100<br>3P 1 x vertikal installation: Dinskena support: INS125<br>4P 1 x vertikal installation: Dinskena support: INS125<br>3P 1 x vertikal installation: Dinskena support: INS160<br>4P 1 x vertikal installation: Dinskena support: INS160<br>3P 1 x vertikal installation: Dinskena support: INS40<br>4P 1 x vertikal installation: Dinskena support: INS40<br>3P 1 x vertikal installation: Dinskena support: INS63<br>4P 1 x vertikal installation: Dinskena support: INS63                                                               |

### Teknisk data

|                                 |                                                                                                                                                                                |
|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Kapsling/Ställverk Beskrivning  | Golvstående kapsling - bredd 600 mm<br>Väggmonterad kapsling - bredd 600 mm<br>Skåp - bredd 650 mm djup 400 mm<br>Pack kapsling - bredd 555 mm<br>Pack kapsling - bredd 600 mm |
| Anslutningsposition             | Direktanslutning                                                                                                                                                               |
| 9Mm Modul                       | 48                                                                                                                                                                             |
| Antalet Moduler (18 Mm) Per Rad | 24                                                                                                                                                                             |

Priset är angivet som indikativt listpris (exkl. moms) och kan komma att korrigeras med rabatt - kontrollera med din grossist eller återförsäljare för faktiskt pris.

Friskrivningsklausul: Denna dokumentation ska inte användas för att avgöra dessa produkters lämplighet eller pålitlighet för specifika kundapplikationer.

|                                 |                                                                 |
|---------------------------------|-----------------------------------------------------------------|
| Antal Vertikala Moduler (50 Mm) | 4                                                               |
| Standarder                      | IEC 61439-2<br>IEC 61439-1                                      |
| Produktcertifieringar           | ASEFA                                                           |
| Material                        | Stål                                                            |
| Ytbehandling                    | Matt<br>Slät                                                    |
| Skyddsbehandling                | Fosfat behandling och het-polymeriserade polyester epoxy pulver |
| Färg                            | Vit (RAL 9001)                                                  |
| Höjd                            | 200 mm                                                          |
| Bredd                           | 500 mm                                                          |
| Produktens Vikt                 | 0,72 kg                                                         |
| Kvantitet Per Set               | 1 st                                                            |

|                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Functional Unit | 650 mm 400 mm Prisma P cubicle Vigilohm 4 4<br>600 mm Prisma G floor-standing enclosure ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS100 fixed direct front rotary handle vertical 3P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS100 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS125 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS125 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS125 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS125 fixed direct front rotary handle vertical 4P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS125 fixed direct front rotary handle vertical 3P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS125 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS160 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS160 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS160 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS160 fixed direct front rotary handle vertical 4P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS160 fixed direct front rotary handle vertical 3P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS160 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS40 fixed direct front rotary handle vertical 3P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS40 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4<br>600 mm Prisma G floor-standing enclosure ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G wall-mounted enclosure ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS63 fixed direct front rotary handle vertical 3P 1 direct 4<br>650 mm 400 mm Prisma P cubicle ComPact INS63 fixed direct front rotary handle vertical 4P 1 direct 4<br>600 mm Prisma G floor-standing enclosure Acti 9 modular device fixed 48 direct 4<br>600 mm Prisma G wall-mounted enclosure Acti 9 modular device fixed 48 direct 4<br>650 mm 400 mm Prisma P cubicle Acti 9 modular device fixed 48 direct 4<br>600 mm Prisma G floor-standing enclosure Multi9 modular device fixed 48 direct 4<br>600 mm Prisma G wall-mounted enclosure Multi9 modular device fixed 48 direct 4<br>650 mm 400 mm Prisma P cubicle Multi9 modular device fixed 48 direct 4<br>600 mm Prisma Pack 250 Pack enclosure Multi9 modular device fixed 48 direct 6 |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Förpackningsinformation

|                       |           |
|-----------------------|-----------|
| Förpackningstyp 1     | PCE       |
| Antal I Förpackning 1 | 1         |
| Förpackning 1 Höjd    | 3,000 cm  |
| Förpackning 1 Bredd   | 21,000 cm |

|                              |            |
|------------------------------|------------|
| Förpackning 1 Djup           | 52,000 cm  |
| Förpackning 1 Vikt           | 726,000 g  |
| Förpackningstyp 2            | BB1        |
| Antal I Förpackning 2        | 10         |
| Förpackning 2 Höjd           | 17,000 cm  |
| Förpackning 2 Bredd          | 22,000 cm  |
| Förpackning 2 Djup           | 53,000 cm  |
| Förpackning 2 Vikt           | 7,467 kg   |
| Förpackningstyp 3            | P12        |
| Number Of Units In Package 3 | 360        |
| Förpackning 3 Höjd           | 82,000 cm  |
| Förpackning 3 Bredd          | 80,000 cm  |
| Förpackning 3 Djup           | 120,000 cm |
| Förpackning 3 Vikt           | 265,440 kg |

## Kontraktsgaranti

Garanti Enligt våra försäljningsvillkor

Hållbarhet



**Green Premium™**-märkningen är Schneider Electric's åtagande att leverera produkter med förstklassig miljöprestanda. Green Premium utlovar efterlevnad av de senaste bestämmelserna, insyn i miljöpåverkan samt cirkulära och koldioxidsnåla produkter.

**Handbok för bedömning av produkthållbarhet** är ett white paper som klargör globala miljömärkningsstandarder och hur man tolkar miljödeklarationer.

[Läs mer om Green Premium >](#)

[Riktlinjer för utvärdering av en produkts hållbarhet >](#)



Transparens   RoHS/REACH

Välbefinnandeprestanda

✓ Innehåller Ej Reach Svhc-Ämnen

✓ Innehåller Ej Giftiga Tungmetaller

✓ Kvicksilverfri

✓ Rohs-Undantagsinformation   [Ja](#)

✓ Produkt Med Halogenfria Plastdelar

Certifieringar och standarder

Eu Rohs-Direktiv

Proaktiv överensstämmelse (produkten utanför EU RoHS juridiska omfattning)  
[EU RoHS-deklaration](#)

Rohs-Förordning Kina

[RoHS-deklaration Kina](#)  
Proaktiv RoHS-deklaration för Kina (ej inom juridisk omfattning för RoHS Kina)

Miljöupplysning

[Produktmiljöprofil](#)